



Enhancing Quality of Life,  
Pursuing Excellent Quality.

# Catalogue 2022

## MEDICAL DEVICES

## 医疗器械目录

CE FDA | [www.jiameimedical-jm.com](http://www.jiameimedical-jm.com)  
[www.dawangmedical.com](http://www.dawangmedical.com)



江门嘉美医疗器械制品有限公司专业生产各类医疗床和相关配套产品。

拥有2.5万多平方米的生产厂房，座落于美丽的侨乡江门市——鹤山江沙工业走廊雅瑶直水工业区，距离江门中心城区仅20公里，距离广州市中心城区仅80公里，货物可从江门港、广州南沙港、深圳盐田港上船出运，交通非常便利。

我们的产品远销北美洲、南美洲、欧洲、澳洲、东南亚等地。我们通过了ISO9001，ISO13485，CE，FDA等认证。

我们拥有超过150多名专业员工团队，其中包括30多名经验丰富的管理、技术和品控人员，先进的生产设备和不断更新的质量管理体系，能确保任何时候都能为您提供优质、性价比高、安全放心的各类医疗床。

我们拥有专业的生产和服务团队，以快速、专业的水平随时为您提供包括产品设计、技术咨询、产品选型、交货状况、售后服务等等。



Jiangmen **Jia Mei** Medical Products Co., Ltd. specializes in producing medical & hospital beds and related accessory products.

With more than 25,000 square meters of production plant, Jia Mei is located in He Shan Yayao Zhishui Industrial Zone, Jiangmen city, the beautiful hometown of overseas Chinese, only 20 km away from Jiangmen city center and 80 km away from Guangzhou city center.

The goods can be shipped from Jiangmen Port, Guangzhou Nan Sha Port, Shenzhen Yantian Port, it is very convenient for transportation.

We are exporting our beds to the North America, Europe, Australia, South America, Southeast Asia, etc. Our Company has got the certification of ISO9001, ISO13485, CE, FDA, etc.

Jia Mei has over 150 professional & skilled employee team, including over 30 experienced administrative, technical, quality control staffs. The advanced manufacturing equipment and continuously improving quality management system can ensure to provide you with all kind of high-quality, competitive pricing, safety & satisfied beds at any time.


We have a professional production and service team to provide you with product design, technical consultation, products selection, on time delivery, after-sales service, etc. at any time.



嘉美厂区配套成熟，先进的设备、不断改良的完备工艺、优良的材料、严格的检测条款使得各系列产品性价比高，质量可靠，充足的货源任君选择。

Company manufacturing facility has complete sets of technologically advanced equipments, continuously improving the production technics. With the excellent quality raw material, and strict inspection process makes all our products have competitive price advantage and outstanding product performance. Varies of types and sizes products available for customers to choose from!

## 自动化设备 Automatic Machines





我们的产品销售覆盖多个国家。

The company has strong marketing ability with a marketing network covering several countries.





**01-14**

家居床  
Homecare Bed



**15-31**

医用病床  
Hospital Bed



**32-34**

移位机  
Patient Lift



**35-40**

病房配套产品  
Hospital Furniture & Bed Accessories

CONTENTS

目录



### MBE-4CX-G 电动称重床 / Electric Scale Bed (5 Functions)

\* L2180-2390xW1020xH390-760mm



- 背部上升62°，腿部上升42°，整床垂直升降390~760mm，头部倾斜12°，脚部倾斜12°。
- 床尾部分可向外延伸210mm，床面宽度可伸缩至36"，42"，48"。
- 标配配有木床头尾板，矩形管床面板，床身安装精密称重系统，护士操作器实现床体所有操作及锁定控制，3"脚轮，4只刹制，4只活动，四电机系统，后备电源。
- 可选配二节式输液架，半身护栏，拉升杆，防撞轮，床垫。

#### Function:

- Back-rest tilting is 0~62°.
- Knee-rest tilting is 0~42°.
- Height adjustment vertically is 390~760mm.
- Trendelenburg and reverse trendelenburg are 12°.
- Bed foot part can be extended 210mm extra. Bed deck expandable in width from 36" to 42" & 48".

#### Standard Accessory:


Wooden bed boards, rectangular tube bed decks, bed body is with built in scale function, the nurse control can be easy to conduct all operation and locking control for the bed body, 4 pcs of 3" swivel casters & 4 pcs of total lock brake casters, four motors system, backup battery.

#### Optional:

Two sectional IV pole, side rails, lifting pole, anticollision casters, mattress.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



### MBE-4CX-B 超重加宽床 / Electric Expandable Bed (5 Functions)

\* L2180-2390xW1020xH390-760mm



- 背部上升62°，腿部上升42°，整床垂直升降390~760mm，头部倾斜12°，脚部倾斜12°。
- 床尾部分可向外延伸210mm，床面宽度可伸缩至36"，42"，48"。
- 标配配有木床头尾板，矩形管床面板，3"脚轮，4只刹制，4只活动，四电机系统，后备电源。
- 可选配二节式输液架，半身护栏，拉升杆，防撞轮，床垫。

#### Function:

- Back-rest tilting is 0~62°.
- Knee-rest tilting is 0~42°.
- Height adjustment vertically is 390~760mm.
- Trendelenburg and reverse trendelenburg are 12°.
- Bed foot part can be extended 210mm extra. Bed deck expandable in width from 36" to 42" & 48".

#### Standard Accessory:


Wooden bed boards, rectangular tube bed decks, 4 pcs of 3" swivel casters & 4 pcs of total lock brake casters, four motors system, backup battery.

#### Optional:

Two sectional IV pole, side rails, lifting pole, anticollision casters, mattress.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:





### MBE-5CE 电动旋转床 / Electric Rotating Bed

- \* L2240 x W930 x H400 ~ 800mm
- \* Mattress platform: 2030X900mm  
床面尺寸



- 最大负载: 200kg
- 背部上升0-68°, 腿部上升0-35°, 整床升降400-800mm, 头部倾斜0-10°, 脚部倾斜0-10°。
- 床面旋转成椅。
- 标配有五电机系统, 矩形管床面, 木床头尾板, 4"带刹脚轮。
- 可选配护栏, 助栏, 拉升杆、床垫, 后备电源。

#### Function:

- Maximum Load: 200KG
- Back-rest tilting is 0-68°.
- Knee-rest tilting is 0-35°.
- Height adjustment vertically is 400-800mm.
- Trendelenburg and reverse Trendelenburg are 0-10°.
- Rotating profiling chair position suited to assistance transferring between standing & sitting.

#### Standard Accessory:


Five motor system, Rectangular tube bed decks, Wooden bed boards, 4" casters with brake

#### Optional:

Side rails, pivot assist rail, lifting pole, mattress, backup battery.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



### MBE-4CX-N 电动旋转床 / Electric Rotating Bed

- \* L2143-2245 x W890/1068/1218 x H210 ~ 760mm



- 背部上升60°, 腿部上升40°, 整床垂直升降210-760mm, 背腿联动功能。
- 床面宽度可伸缩至35", 42", 48", 床头、床尾部分可各向外延伸51mm, 整床长度: 2143-2245mm。
- 一键成椅功能。
- 标配冷扎钢板床面板, 快速装拆木床头尾板, 头部4只3"方向刹脚轮, 尾部4只3"中控一体刹脚轮, 床垫限位架6个, 铁防撞支架。
- 可选配半身护栏, 固定助栏, 旋转助栏, 塑料半身护栏, 塑料旋转助栏, 拉升杆, 二节式输液架, 床垫, 2支夜灯 (整床上升或下降都会自动亮约45秒), CPR快速放平功能。

#### Function:

- Back-rest tilting is 0-60°.
- Knee-rest tilting is 0-40°.
- Height adjustment vertically is 210-760mm.
- Comfort position function.
- Bed deck expandable in width from 35" to 42" & 48". Bed head part and bed foot part can be extended 51mm extra. Expandable bed length: 2143-2245mm.
- One button chair position function.

#### Standard Accessory:


Cold-rolled steel sheet bed decks, quick release wooden bed boards, 4pcs of 3" directional brake casters at the bed head part, and 4pcs of 3" central locking casters at the bed foot part, 6pcs of mattress retainers, steel bumper guard.

#### Optional:

Half length side rails, fixed position assist rails, rotating assist rails, plastic half length side rails, plastic rotating assist rails, lifting pole, two sectional IV pole, mattress, 2 night lights, CPR quick release function.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:





### MBE-4XAG-B 五功能电动床 / Folded Electric Bed (5 Functions)

\* L2183×W926×H355-755mm



- 背部上升73°，腿部上升35°，整床垂直升降355~755mm，前后倾斜10°。
- 可折叠便于包装运输。
- 标配矩形管床面板，4"刹制脚轮，木床头尾板，四电机系统。
- 可选配欧式护栏，二节式输液架，床垫，拉升杆，急停开关。

#### Function:

- Back-rest tilting is 0~73°.
- Knee-rest tilting is 0~35°.
- Height adjustment vertically is 355~755mm.
- Trendelenburg and reverse trendelenburg are 10°.
- The bed is foldable for easy packing and shipping.

#### Standard Accessory:


Rectangular tube bed decks, 4" casters with brake, wooden bed boards, four motors system.

#### Optional:

European side rails, two sectional IV pole, mattress, lifting pole, emergency stop button.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



### MBE-4CD 五功能电动床 / Folded Electric Bed (5 Functions)

\* L2200×W1060×H360-760mm



- 背部上升73°，腿部上升35°，整床垂直升降360~760mm，前后倾斜10°。
- 可折叠便于包装运输。
- 标配矩形管床面板，4"刹制脚轮，木床头尾板，全身木护栏，四电机系统。
- 可选配二节式输液架，床垫，拉升杆。

#### Function:

- Back-rest tilting is 0~73°.
- Knee-rest tilting is 0~35°.
- Height adjustment vertically is 360~760mm.
- Trendelenburg and reverse trendelenburg are 10°.
- The bed is foldable for easy packing and shipping.

#### Standard Accessory:


Rectangular tube bed decks, 4" casters with brake, wooden bed boards, full length wooden side rails, four motors system.

#### Optional:

Two sectional IV pole, mattress, lifting pole.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:





## MBE-4CD-A 五功能电动床 / Folded Electric Bed (5 Functions)

\* L2180×W1010×H360-760mm



- 背部上升73°，腿部上升35°，整床垂直升降360~760mm，前后倾斜10°。
- 可折叠便于包装运输。
- 标配有矩形管床面板，4"刹制脚轮，木床头尾板，全身木护栏，四电机系统。
- 可选配二节式输液架，床垫，拉升杆。

### Function:

- Back-rest tilting is 0~73°.
- Knee-rest tilting is 0~35°.
- Height adjustment vertically is 360~760mm.
- Trendelenburg and reverse trendelenburg are 10°.
- The bed is foldable for easy packing and shipping.

### Standard Accessory:


Rectangular tube bed decks, 4" casters with brake, wooden bed boards, full length wooden side rails, four motors system.

### Optional:

Two sectional IV pole, mattress, lifting pole.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



## MBE-4CD-C 五功能电动床 / Folded Electric Bed (5 Functions)

\* L2180×W1010×H190-590mm



- 背部上升65°，腿部上升35°，整床垂直升降190~590mm，前后倾斜10°。
- 可折叠便于包装运输。
- 标配有矩形管床面板，4"刹制脚轮，木床头尾板，全身木护栏，四电机系统。
- 可选配二节式输液架，床垫，拉升杆。

### Function:

- Back-rest tilting is 0~65°.
- Knee-rest tilting is 0~35°.
- Height adjustment vertically is 190~590mm.
- Trendelenburg and reverse trendelenburg are 10°.
- The bed is foldable for easy packing and shipping.

### Standard Accessory:


Rectangular tube bed decks, 4" casters with brake, wooden bed boards, full length wooden side rails, four motors system.

### Optional:

Two sectional IV pole, mattress, lifting pole.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:





### MBE-4CAG 超低电动床 / Ultra Low Electric Bed

\* L2140 x W990/1200 x H220 ~ 650mm



- 背部上升60°，腿部上升45°，整床垂直升降220~650mm，头部倾斜12°，脚部倾斜12°。
- 标配有欧式护栏一对，木床头床尾板，网面床面，四电机系统，3"脚轮。
- 二节式输液架，床垫，后备电源。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment vertically is 220~650mm.
- Trendelenburg and reverse trendelenburg are 12°.

#### Standard Accessory:


European side rails, wooden bed boards, steel mesh bed decks, four motors system, 3" casters.

#### Optional:

Two sectional IV pole, mattress, backup battery.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



### MBE-4XX-Z 超低电动床 / Ultra Low Electric Bed

\* L2220 x W915 x H100 ~ 525mm



- 背部上升65°，腿部上升35°，整床垂直升降100~525mm，头部倾斜11°，脚部倾斜11°。
- 标配有矩形管床面板，四电机系统，木床头床尾板，3"带刹脚轮。
- 可选配二节式输液架，床垫，餐板，拉升杆。

#### Function:

- Back-rest tilting is 0~65°.
- Knee-rest tilting is 0~35°.
- Height adjustment vertically is 100~525mm.
- Trendelenburg and reverse trendelenburg are 11°.

#### Standard Accessory:


Rectangular tube bed decks, four motors system, wooden bed boards, 3" casters with brake.

#### Optional:

Two sectional IV pole, mattress, overbed table, lifting pole.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:





### MBE-4XX-S 超低电动床 / Ultra Low Electric Bed

\* L2150 x W920 x H110 ~ 680mm



- 背部上升60°，腿部上升40°，整床垂直升降110~680mm，前后倾斜12°。
- 标配有矩形管床面板，4只2"刹制脚轮，4只2"活动轮，木床头尾板，四电机系统。
- 可选配欧式护栏，旋转助栏，塑料护栏，二节式输液架，床垫，拉升杆，床垫限位架，夜灯功能，一键成椅功能。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-resttilting is 0~40°.
- Height adjustment vertically is 110~680mm.
- Trendelenburg and reverse trendelenburg are 12°.

#### Standard Accessory:


Rectangular tube bed decks, 4 pcs of 2" total lock brake casters & 4 pcs of 2" swivel casters, wooden bed boards, four motors system.

#### Optional:

European side rails, assist rails, plastic side rails, two sectional IV pole, mattress, lifting pole, mattress retainers, night light, one button chair position function.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



### MBE-3CX-F 电动床 / Electric Bed

\* L2140xW1020xH250-740mm



- 背部上升62°，腿部上升42°，整床垂直升降250~740mm。
- 床尾部分可向外延伸210mm。
- 标配木床头尾板，矩形管床面板，4"脚轮，2只刹制，2只活动，三电机系统，后备电源。
- 可选配二节式输液架，半身护栏，防撞轮，床垫。

#### Function:

- Back-rest tilting is 0~62°.
- Knee-resttilting is 0~42°.
- Height adjustment vertically is 250~740mm.
- Bed foot part can be extended 210mm, no width expandable.

#### Standard Accessory:


Wooden bed boards, rectangular tube bed decks, 2 pcs of 4" swivel casters & 2 pcs of total lock brake casters, three motors system, backup battery.

#### Optional:

Two sectional IV pole, side rails, anticollision casters, mattress.

\* 以下木床头屏颜色供选择:


The colours as follows can be optional for the wooden bed board:





### MBE-3CX-Y 电动床 / Electric Bed

\* L2110-2320 x W1020 x H380 ~ 740mm



- 背部上升62°，腿部上升42°，整床水平升降380~740mm。
- 床尾部分可向外延伸210mm。
- 标配有快速安装床屏板，矩形管床面板，2只4"活动脚轮，2只4"刹制脚轮，三电机系统，床尾屏板内置护士控制器。
- 可选配二节式输液架，半身护栏，助栏，防撞轮，床垫。

#### Function:

- Back-rest tilting is 0~62°.
- Knee-rest tilting is 0~42°.
- Height adjustment is 380~740mm.
- Bed foot part can be extended 210mm, no width expandable.

#### Standard Accessory:


Bed boards with quick release, rectangular tube bed decks, 2 pcs of 4" swivel casters & 2 pcs of total lock brake casters, three motors system, nurse control on bed foot board.

#### Optional:

Two sectional IV pole, side rails, assisting rails, anticollision casters, mattress.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



### MBE-3CXG-A 电动床 / Electric Bed



Jia Mei Medical



\* L2130 ~ 2330 x W980 x H280 ~ 680mm

- 背部上升60°，腿部上升40°，整床水平升降280~680mm，床尾部分可向外延伸200mm。
- 标配4"脚轮，三电机系统，插式木床头床尾板，冷轧钢床面板。
- 可选配欧式护栏或铝合金护栏，二节式输液架，床垫，拉升杆。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~40°.
- Height adjustment is 280~680mm.
- Bed foot part can be extended 200mm extra.

#### Standard Accessory:


4" casters, three motors system, cold-rolled steel sheet bed decks, inserted wooden bed boards.

#### Optional:

European side rails or aluminum alloy side rails, two sectional IV pole, mattress, lifting pole.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:





### MBE-3CAG-A超低电动床 / Ultra Low Electric Bed

\* L2130 x W980 x H240 ~ 630mm



- 背部上升60°，腿部上升40°，整床垂直升降240~630mm。
- 标配有欧式护栏一对，4"脚轮，三电机系统，木床头床尾板，网面床面。
- 可选配二节式输液架，床垫。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~40°.
- Height adjustment vertically is 240~630mm.

#### Standard Accessory:


European side rails, 4" casters, three motors system, wooden bed boards, steel mesh bed decks.

#### Optional:

Two sectional IV pole, mattress.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



### MBE-2CDG 家居电动床 / Homecare Bed



\* L2150 x W910 x H260 ~ 600mm

- 背部上升80°，整床水平升降260~600mm，脚部床尾板可放平。
- 标配有木床头尾板，冷轧钢床面板，5"脚轮，双电机系统。
- 可选配二节式输液架，床垫，拉升杆，铝合金护栏。

#### Function:

- Back-rest tilting is 0~80°.
- Height adjustment is 260~600mm.
- The bed foot board can be flatted.

#### Standard Accessory:


Wooden bed boards, cold-rolled steel sheet bed decks, 5" casters, two motors system.

#### Optional:

Two sectional IV pole, mattress, lifting pole, aluminum alloy side rails.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:





## 电动家居床 Electric Homecare Bed

### MBM-3XX-A 半自动家居床 / Semi-Electric Homecare Bed

\* L2240 x W900 x H400 ~ 580mm



- 电机控制背部上升70°，腿部上升45°，整床手摇升降400~580mm。
- 标配塑料床头尾板，弹簧网面床面板，保护螺杆，两只3"全刹脚轮，两只3"活动脚轮，双马达电机。
- 可选配护栏，床垫。

#### Function:

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~45°.
- Height adjustment operated by crank is 400~580mm.

#### Standard Accessory:

Plastic sheet bed boards, spring wire bed decks, self-protected metal crank system, 2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, dual motor actuator.

#### Optional:

Side rails, mattress.

### MBM-3XE-B 半自动家居床 / Semi-Electric Homecare Bed

\* L2240 x W900 x H400 ~ 580mm



- 电机控制背部上升70°，腿部上升45°，整床手摇升降400~580mm。
- 标配塑料床头尾板，矩形管床面板，两只3"全刹脚轮，两只3"活动脚轮，双马达电机，保护螺杆。
- 可选配护栏，拉升杆，床垫。

#### Function:

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~45°.
- Height adjustment operated by crank is 400~580mm.

#### Standard Accessory:

2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, dual motor actuator, rectangular tube bed decks, plastic sheet bed boards, self-protected metal crank system.

#### Optional:

Side rails, lifting pole, mattress.

### MBM-3XE-B1 半自动家居床 / Semi-Electric Homecare Bed

\* L2240 x W900 x H400 ~ 580mm



- 电机控制背部上升70°，腿部上升45°，整床手摇升降400~580mm。
- 标配塑料床头尾板，矩形管床面板，两只3"全刹脚轮，两只3"活动脚轮，双马达电机，保护螺杆。
- 可选配护栏，拉升杆，床垫。

#### Function:

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~45°.
- Height adjustment operated by crank is 400~580mm.

#### Standard Accessory:

2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, dual motor actuator, rectangular tube bed decks, plastic bed boards, self-protected metal crank system.

#### Optional:

Side rails, lifting pole, mattress.



### MBE-3XE1 全自动家居床 / Full-Electric Homecare Bed

\* L2240 x W900 x H400 ~ 580mm



- 电机控制背部上升70°，腿部上升45°，整床电机控制升降400~580mm。
- 标配塑料床头尾板，矩形管床面板，两只3"全刹脚轮，两只3"活动脚轮，双马达电机，升降电机。
- 可选配护栏，拉升杆，床垫。

#### Function:

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~45°.
- Height adjustment operated by motor is 400~580mm.

#### Standard Accessory:

Plastic bed boards, 2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, dual motor actuator, hi-low motor, rectangular tube bed decks.

#### Optional:

Side rails, lifting pole, mattress.







## 电动家居床 Electric Homecare Bed

### MBM-3XX-C 全自动家居床 / Full-Electric Homecare Bed

\* L2240 x W900 x H400 ~ 580mm



- 电机控制背部上升70°，腿部上升45°，整床电机控制升降400~580mm。
- 标配有两只3"全刹脚轮，两只3"活动脚轮，弹簧网面床面板，塑料床头尾板，双马达电机，升降电机。
- 可选配护栏，床垫。

#### Function:

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~45°.
- Height adjustment operated by motor is 400~580mm.

#### Standard Accessory:

2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, spring bed decks, plastic sheet bed boards, dual motor actuator, hi-low motor.

#### Optional:

Side rails, mattress.

### MBE-3XE 全自动家居床 / Full-Electric Homecare Bed

\* L2240 x W900 x H400 ~ 580mm



- 电机控制背部上升70°，腿部上升45°，整床电机控制升降400~580mm。
- 标配塑料床头尾板，矩形管床面板，两只3"全刹脚轮，两只3"活动脚轮，双马达电机，升降电机。
- 可选配护栏，拉升杆，床垫。

#### Function:

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~45°.
- Height adjustment operated by motor is 400~580mm.

#### Standard Accessory:

Plastic sheet bed boards, 2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, dual motor actuator, hi-low motor, rectangular tube bed decks.

#### Optional:

Side rails, lifting pole, mattress.

**MBE-3XX-E 42"加宽全自动家居床 / 42" Full-Electric Homecare Bed**

**MBE-3XX-F 48"加宽全自动家居床 / 48" Full-Electric Homecare Bed**



**\* L2240 x W1067/1220 x H400 ~ 580mm**

- 电机控制背部上升70°，腿部上升35°，整床电机控制升降400~580mm。
- 标配两只3"全刹脚轮，两只3"活动脚轮，矩形管床面板，塑料床头尾板，三电机系统，配有手摇在停电情况下可利用手摇升降背部、腿部、整床等功能。
- 可选配护栏，床垫。

**Function:**

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~35°.
- Height adjustment operated by motor is 400~580mm.

**Standard Accessory:**

2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, rectangular tube bed decks, plastic sheet bed boards, three motor actuator, emergency hand crank.

**Optional:**

Side rails, mattress.



## 手动家居床 Manual Homecare Bed

### MBM-1XE 单摇家居床 / Homecare Manual Bed ( 1 Crank)



\* L2240 x W900 x H525mm

- 背部上升70°。
- 标配矩形管床面板，两只3"全刹脚轮，两只3"活动脚轮，保护螺杆，塑料床头尾板。
- 可选配护栏，拉升杆，床垫。

**Function:**

- Back-rest tilting is 0~70°.

**Standard Accessory:**

2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, rectangular tube bed decks, self-protected metal crank system, plastic sheet bed boards.

**Optional:**

Side rails, lifting pole, mattress.

### MBM-2XE-G 双摇家居床 / Homecare Manual Bed( 2 Cranks)



\* L2240 x W900 x H525mm

- 背部上升70°，腿部上升45°。
- 标配两只3"全刹脚轮，两只3"活动脚轮，保护螺杆，矩形管床面板，塑料床头尾板。
- 可选配护栏，拉升杆，床垫。

**Function:**

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~45°.

**Standard Accessory:**

2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, rectangular tube bed decks, self-protected metal crank system, plastic sheet bed boards.

**Optional:**

Side rails, lifting pole, mattress.



## MBM-3XE-G 三摇家居床 / Homecare Manual Bed( 3 Cranks)



\* L2240 x W900 x H400 ~ 580mm

- 背部上升70°，腿部上升45°，整床手摇升降400~580mm。
- 标配两只3"全刹脚轮，两只3"活动脚轮，矩形管床面板，保护螺杆，塑料床头尾板。
- 可选配护栏，拉升杆，床垫。

**Function:**

- Back-rest tilting is 0~70°.
- Knee-rest tilting is 0~45°.
- Height adjustment operated by crank is 400~580mm.

**Standard Accessory:**

2 pcs of 3" total lock brake casters, 2 pcs of 3" swivel casters, rectangular tube bed decks, plastic sheet bed boards, self-protected metal crank system.

**Optional:**

Side rails, lifting pole, mattress.



# 电动床 Electric Hospital Bed

## MBE-4ECG 电动称重床 / Electric Scale Bed (5 Functions)

\* L2230 x W960 x H470 ~ 780mm



- 背部上升60°，腿部上升45°，整床水平升降470~780mm。头部倾斜12°，脚部倾斜12°。
- 床身安装精密称重系统，床尾的护士操作器，能实现床体所有操作及锁定控制，床头护栏两侧的病人操作器，能轻松实现床体的所有操作。
- 标配ABS床头尾板，冷轧钢床面板，床尾板内置护士操作器；PE塑料护栏一套，床头护栏内置病人操作器；中控刹车系统，四电机系统。
- 可选配二节式输液架，床垫，餐板。

### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment is 470~780mm.
- Trendelenburg and reverse trendelenburg are 12°.
- Bed body is with precision scale system. The nurse control on bed foot board can be easy to conduct all operation and locking control for the bed body. The patient controls of the both head side rails can be easy to perform all operation for the bed.

### Standard Accessory:

ABS bed boards, cold-rolled steel sheet bed decks, nurse control on bed foot board, PE plastic side rails, patient controls on both head side rails, central locking caster system, four motors system.

### Optional:

Two sectional IV pole, mattress, overbed table.

## MBE-4ECG-A 五功能电动床 / Electric Bed (5 Functions)

\* L2230 x W960 x H450 ~ 760mm



- 背部上升60°，腿部上升45°，整床水平升降450~760mm。头部倾斜12°，脚部倾斜12°。床头护栏两侧的操作器，能轻松实现床体的所有操作。
- 标配ABS床头尾板，冷轧钢床面板，PE塑料护栏一套，床头护栏内置控制器；中控刹车系统，四电机系统。
- 可选配二节式输液架，床垫，餐板。

### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment is 450~760mm.
- Trendelenburg and reverse trendelenburg are 12°. Controls on head side rails can be easy to perform all operation for the bed body.

### Standard Accessory:

ABS bed boards, cold-rolled steel sheet bed decks, PE plastic side rails, both head side rails is with controller inside, central locking caster system, four motors system.

### Optional:

Two sectional IV pole, mattress, overbed table.

### MBE-4ECA-B 五功能电动床 / Electric Bed (5 Functions)



\* L2230 x W960 x H470 ~ 780mm

- 背部升降60°，腿部升降45°，整床水平升降470~780mm，前后倾斜12°，背部CPR快速放平功能；床尾屏板的护士操作器和床头护栏两侧的操作器，能轻松实现床体所有操作；
- 标配ABS床头尾板，冷轧钢床面板，PE塑料护栏，中控刹车系统，四电机系统；
- 可选配二节式输液架，床垫，餐板。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment is 470~780mm.
- CPR function for backup section.
- Trendelenburg and reverse trendelenburg are 12°. Nurse control on bed foot board and patient controls on both head side rails can be easy to perform all operations and locking control for the bed body.

#### Standard Accessory:

ABS bed boards, cold-rolled steel sheet bed decks, nurse control on bed foot board, PE plastic side rails, patient controls on both head side rails, central locking caster system, four motors system.

#### Optional:

Two sectional IV pole, mattress, overbed table.

### MBE-4BCA 电动床 / Electric Bed

\* L2200 x W960 x H450 ~ 760mm



- 背部上升60°，腿部上升45°，整床水平升降450~760mm，床体可前后倾斜12°。
- 标配PE塑料护栏一套，冷轧钢床面板，ABS床头尾板，中控刹车系统，四电机系统。
- 可选配二节式输液架，床垫，餐板，后备电源，5"脚轮。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment is 450~760mm.
- Trendelenburg and reverse trendelenburg are 12°.

#### Standard Accessory:

PE plastic side rails, cold-rolled steel sheet bed decks, ABS bed boards, central locking caster system, four motors system.

#### Optional:

Two sectional IV pole, mattress, overbed table, backup battery, 5" casters.





## 电动床 Electric Hospital Bed

### MBE-4ACG 电动床 / Electric Bed



\* L2180 x W960 x H450 ~ 760mm

- 背部上升60°，腿部上升45°，整床水平升降450~760mm，床体可前后倾斜12°。
- 标配PE塑料护栏一套，冷轧钢床面板，ABS床头尾板，5"脚轮，四电机系统。
- 可选配二节式输液架，床垫，餐板，中控刹车系统，背部CPR快速放平功能，后备电源。

**Function:**

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment is 450~760mm.
- Trendelenburg and reverse trendelenburg are 12°.

**Standard Accessory:**

PE plastic side rails, cold-rolled steel sheet bed decks, ABS bed boards, 5" casters, four motors system.

**Optional:**

Two sectional IV pole, mattress, overbed table, central locking caster system, CPR function, backup battery.

### MBE-4ABG 电动床 / Electric Bed

\* L2180 x W980 x H450 ~ 760mm



- 背部上升60°，腿部上升45°，整床水平升降450~760mm，床体可前后倾斜12°。
- 标配铝合金护栏一套，冷轧钢床面板，ABS床头尾板，5"脚轮，四电机系统。
- 可选配二节式输液架，床垫，餐板，中控刹车系统，后备电源。

**Function:**

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment is 450~760mm.
- Trendelenburg and reverse trendelenburg are 12°.

**Standard Accessory:**

Aluminum alloy side rails, cold-rolled steel sheet bed decks, ABS bed boards, 5" casters, four motors system.

**Optional:**

Two sectional IV pole, mattress, overbed table, central locking caster system, backup battery.

### MBE-4BCG 电动床 / Electric Bed

\* L2220 x W960 x H450 ~ 760mm



- 背部上升60°，腿部上升45°，整床水平升降450~760mm，床体可前后倾斜12°。
- 标配PE塑料护栏一套，冷轧钢床面板，ABS床头尾板，5"脚轮，四电机系统。
- 可选配二节式输液架，床垫，餐板，中控刹车系统，后备电源。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment is 450~760mm.
- Trendelenburg and reverse trendelenburg are 12°.

#### Standard Accessory:

PE plastic side rails, cold-rolled steel sheet bed decks, ABS bed boards, 5" casters, four motors system.

#### Optional:

Two sectional IV pole, mattress, overbed table, central locking caster system, backup battery.

### MBE-4ACA 电动床 / Electric Bed

\* L2200 x W960 x H450 ~ 760mm



- 背部上升60°，腿部上升45°，整床水平升降450~760mm，床体可前后倾斜12°。
- 标配PE塑料护栏一套，冷轧钢床面板，ABS床头尾板，中控刹车系统，四电机系统。
- 可选配二节式输液架，床垫，餐板，后备电源，5"脚轮，背部CPR快速放平功能。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~45°.
- Height adjustment is 450~760mm.
- Trendelenburg and reverse trendelenburg are 12°.

#### Standard Accessory:

PE plastic side rails, cold-rolled steel sheet bed decks, ABS bed boards, central locking casters, four motors system.

#### Optional:

Two sectional IV pole, mattress, overbed table, backup battery, 5" casters, CPR function.



## 电动床 Electric Hospital Bed

### MBE-3AAG 电动床 / Electric Bed



\* L2180 x W980 x H410 ~ 725mm

- 背部上升60°，腿部上升40°，整床垂直升降410~725mm。
- 标配欧式护栏一套，5"脚轮，三电机系统，ABS床头尾板，冷轧钢床面板
- 可选配二节式输液架，床垫，餐板，后备电源。

**Function:**

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~40°.
- Height adjustment vertically is 410~725mm.


**Standard Accessory:**

European side rails, 5" casters, three motors system, ABS bed boards, cold-rolled steel sheet bed decks.

**Optional:**

Two sectional IV pole, mattress, overbed table, backup battery.

### MBE-3ACA 电动床 / Electric Bed



\* L2180 x W960 x H440 ~ 720mm

- 背部上升80°，腿部上升40°，整床水平升降440~720mm。
- 标配PE塑料护栏一套，中控刹车系统，三电机系统，冷轧钢床面板，ABS床头尾板。
- 可选配二节式输液架，床垫，餐板，5"脚轮。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~40°.
- Height adjustment is 440~720mm.

**Standard Accessory:**

PE plastic side rails, central locking caster system, three motors system, cold-rolled steel sheet bed decks, ABS bed boards.

**Optional:**

Two sectional IV pole, mattress, overbed table, 5" casters.



### MBE-3ABA 电动床 / Electric Bed



\* L2180 x W980 x H370 ~ 680mm

- 背部上升80°，腿部上升35°，整床水平升降370~680mm。
- 标配铝合金护栏，ABS床头尾板，冷轧钢床面板，中控刹车系统，三电机系统。
- 可选配二节式输液架，床垫，餐板。

#### Function:

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.
- Height adjustment is 370~680mm.

#### Standard Accessory:

Aluminum alloy side rails, ABS bed boards, cold-rolled steel sheet bed decks, central locking caster system, three motors system.

#### Optional:

Two sectional IV pole, mattress, overbed table.

### MBE-3ACG 电动床 / Electric Bed (3 Functions)



\* L2180 x W900 / 960 x H450 ~ 730mm

- 背部上升80°，腿部上升35°，整床水平升降450~730mm。
- 标配ABS床头尾板，冷轧钢床面板，有PE塑料护栏一套，5"脚轮，三电机系统。
- 可选配二节式输液架，床垫，餐板，中控刹车系统。

#### Function:

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.
- Height adjustment is 450~730mm.

#### Standard Accessory:

ABS bed boards, cold-rolled steel sheet bed decks, PE plastic side rails, 5" casters, three motors system.

#### Optional:

Two sectional IV pole, mattress, overbed table, central locking caster system.



## 电动床 Electric Hospital Bed

### MBE-3ABG-A 超低电动床 / Ultra Low Electric Bed



\* L2180 x W980 x H250 ~ 530mm

- 背部上升80°，腿部上升35°，整床水平升降250~530mm。
- 标配铝合金护栏一对，ABS床头尾板，冷轧钢床面板，5"脚轮，三电机系统。
- 可选配二节式输液架，床垫，餐板，中控刹车系统。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.
- Height adjustment is 250~530mm.

**Standard Accessory:**

Aluminum alloy side rails, cold-rolled steel sheet bed decks, ABS bed boards, 5" casters, three motors system.

**Optional:**

Two sectional IV pole, mattress, overbed table, central locking caster system.

### MBE-2ABG 电动床 / Electric Bed



\* L2180 x W980 x H485mm

- 背部上升80°，腿部上升35°
- 标配铝合金护栏一对，ABS床头尾板，冷轧钢床面板，5"脚轮，两电机系统。
- 可选配二节式输液架，床垫，餐板，中控刹车系统。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.


**Standard Accessory:**

Aluminum alloy side rails, ABS bed boards, cold-rolled steel sheet bed decks, 5" casters, two motors system.

**Optional:**

Two sectional IV pole, mattress, overbed table, central locking casters system.

### MBM-3AAG 三摇手动床 / Manual Bed (3 Cranks)



\* L2180 x W980 x H430 ~ 710mm

- 背部上升80°，腿部上升40°，整床水平升降430~710。
- 标配欧式护栏一套，ABS床头尾板，冷轧钢床面板，保护螺杆，铁手摇，5"脚轮。
- 可选配二节式输液架，床垫，餐板。

#### Function:

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~40°.
- Height adjustment is 430~710mm.

#### Standard Accessory:

European side rails, ABS bed boards, cold-rolled steel bed decks, self-protected metal crank system, 5" casters.

#### Optional:

Two sectional IV pole, mattress, overbed table.

### MBM-3ACG 三摇手动床 / Manual Bed (3 Cranks)



\* L2180 x W900 / 960 x H450 ~ 730mm

- 背部上升80°，腿部上升35°，整床水平升降450~730mm。
- 标配PE塑料护栏一套，ABS床头尾板，冷轧钢床面板，5"脚轮。
- 可选配二节式输液架，床垫，餐板，中控刹车系统。

#### Function:

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.
- Height adjustment is 450~730mm.

#### Standard Accessory:

PE plastic side rails, ABS bed boards, cold-rolled steel bed decks, 5" casters.

#### Optional:

Two sectional IV pole, mattress, overbed table, central locking casters system.



## 手动床 Manual Hospital Bed

### MBM-3ABG 三摇手动床 / Manual Bed (3 Cranks)



\* L2180 x W980 x H450 ~ 720mm

- 背部上升80°，腿部上升35°，整床水平升降450~720mm。
- 标配铝合金护栏一对，ABS床头尾板，冷轧钢床面板，保护螺杆，5"脚轮。
- 可选配二节式输液架，床垫，餐板，中控刹车系统。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.
- Height adjustment is 450~720mm.

**Standard Accessory:**

Aluminum alloy side rails, ABS bed boards, cold-rolled steel bed decks, self-protected crank system, 5" casters.

**Optional:**

Two sectional IV pole, mattress, overbed table, central locking casters system.

### MBM-3ABA 三摇手动床 / Manual Bed (3 Cranks)



\* L2180 x W980 x H460 ~ 740mm

- 背部上升80°，腿部上升35°，整床水平升降460~740mm。
- 标配ABS床头尾板，冷轧钢床面板，保护螺杆，铝合金护栏，中控刹车系统。
- 可选配二节式输液架，床垫，餐板。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.
- Height adjustment is 460~740mm.

**Standard Accessory:**

ABS bed boards, cold-rolled steel bed boards, self-protected crank system, aluminum alloy side rails, central locking caster system.

**Optional:**

Two sectional IV pole, mattress, overbed table.



### MBM-2AAG 双摇手动床 / Manual Bed (2 Cranks)



\* L2180 x W980 x H495mm

- 背部上升80°，腿部上升35°。
- 标配ABS床头床尾板，冷轧钢床面板，保护螺杆，欧式护栏一套，5"脚轮。
- 可选配二节式输液架，床垫，餐板。

#### Function:

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.

#### Standard Accessory:

ABS bed boards, cold-rolled steel bed decks, self-protected crank system, European side rails, 5" casters.

#### Optional:

Two sectional IV pole, mattress, overbed table.

### MBM-2AAG-A 双摇手动床 / Manual Bed (2 Cranks)



\* L2180 x W980 x H495mm

- 背部上升80°，腿部上升35°。
- 标配欧式护栏一套，ABS床头床尾板，矩形管床面板，保护螺杆，5"脚轮。
- 可选配二节式输液架，床垫，餐板。

#### Function:

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.

#### Standard Accessory:

European side rails, 5" casters, ABS bed boards, rectangular tube bed decks, self-protected crank system.

#### Optional:

Two sectional IV pole, mattress, overbed table.



## 手动床 Manual Hospital Bed

### MBM-2ABG 双摇手动床 / Manual Bed (2 Cranks)



\* L2180 x W980 x H485mm

- 背部上升80°，腿部上升35°。
- 标配ABS床头尾板，冷轧钢床面板，保护螺杆，铝合金护栏一对，5"脚轮。
- 可选配二节式输液架，床垫，餐板。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.

**Standard Accessory:**

ABS bed boards, cold-rolled steel bed decks, self-protected crank system, aluminum alloy side rails, 5" casters.

**Optional:**

Two sectional IV pole, mattress, overbed table.

### MBM-2ABX 双摇手动床 / Manual Bed (2 Cranks)



\* L2180 x W980 x H500mm

- 背部可折起80°，腿部可折起35°。
- 标配铝合金护栏，ABS床头尾板，冷轧钢床面板。
- 可选配二节式输液架，床垫，餐板。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.

**Standard Accessory:**

Aluminum alloy side rails, ABS bed boards, cold-rolled steel bed decks.

**Optional:**

Two sectional IV pole, mattress, overbed table.

### MBM-2XAX 双摇手动床 / Manual Bed (2 Cranks)



\* L2065 x W980 x H500mm

- 背部上升60°，腿部上升40°。
- 标配欧式护栏一套，铁网床面板，铁床头尾架。
- 可选配二节式输液架，床垫，餐板。

#### Function:

- Back-rest tilting is 0~60°.
- Knee-rest tilting is 0~40°.

#### Standard Accessory:

European side rails, steel mesh bed decks, steel bed boards.

#### Optional:

Two sectional IV pole, mattress, overbed table.

### MBM-2XAG 不锈钢床头双摇床 / Manual Bed (2 Cranks)



\* L2120 x W900 x H500mm

- 背部可折起80°，腿部可折起35°。
- 标配网面床面板，不锈钢床屏架，木床头尾板。
- 可选配欧式护栏，二节式输液架，床垫，铁床头尾架，4"脚轮。

#### Function:

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.

#### Standard Accessory:

Steel mesh bed decks, stainless steel bed board frame with wooden boards.

#### Optional:

European side rails, two sectional IV pole, mattress, steel bed boards, 4" casters.



## 手动床 Manual Hospital Bed

### MBM-2XXX-A 不锈钢床头双摇床 / Manual Bed (2 Cranks)



\* L2120 x W900 x H500mm

- 背部可折起80°，腿部可折起35°。
- 标配欧式护栏，4"脚轮，不锈钢床头尾架，网面床面板。
- 可选配二节式输液架，床垫，铁床头尾架。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.

**Standard Accessory:**

Steel mesh bed decks, European side rails, 4" casters, stainless steel bed board frame with wooden boards.

**Optional:**

Two sectional IV pole, mattress, steel bed boards.

### MBM-0XXG 平床 / Bed



\* L2005 x W905 x H500mm

- 标配5"脚轮，铁网床面板，铁床头尾架。
- 可选配二节式输液架，床垫。

**Standard Accessory:**

5" casters, steel mesh bed decks, steel bed boards.

**Optional:**

Two sectional IV pole, mattress.

### MBM-2XXX 不锈钢双摇床 / Stainless Bed (2 Cranks)



\* L2060 x W900 x H495mm

- 背部上升80°，腿部上升35°。
- 标配杂物架，矩形管床面板，不锈钢床头尾架。
- 可选配二节式输液架，床垫。

**Function:**

- Back-rest tilting is 0~80°.
- Knee-rest tilting is 0~35°.

**Standard Accessory:**

Sundry shelf, rectangular tube bed decks, stainless steel bed boards.

**Optional:**

Two sectional IV pole, mattress.



## MBM-1XAG 单摇手动床 / Manual Bed (1 Crank)

\* L2000×W920×H585mm



- 背部上升73°。
- 标配矩形管床面板，不锈钢床头尾架，塑料脚套。
- 可选配护栏，脚轮，床垫。

### Function:

- Back-rest tilting is 0~73°.

### Standard Accessory:


Rectangular tube bed decks, stainless steel head & foot frames with wooden boards, with plastic tube leg tips.

### Optional:

Side rails, casters, mattress.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:



## MBM-2ABE 双摇手动床 / Manual Bed (2 Crank)

\* L2000×W920×H585mm



- 背部上升73°，腿部上升37°。
- 标配矩形管床面板，不锈钢床头尾架，塑料脚套。
- 可选配护栏，脚轮，床垫。

### Function:

- Back-rest tilting is 0~73°.
- Knee-rest tilting is 0~37°.

### Standard Accessory:

Rectangular tube bed decks, stainless steel head & foot frames with wooden boards, with plastic tube leg tips.

### Optional:

Side rails, casters, mattress.

\* 以下木床头屏颜色供选择:

The colours as follows can be optional for the wooden bed board:





## MBE-2XXG 电动检查床 / Electric Examination Bed



\* L2000 x W600 x H420 ~ 700mm (L)  
L1800 x W600 x H420 ~ 700mm (S)

- 背部上升80°，整床水平升降420~700mm。
- 标配5"脚轮，床垫，两电机系统。

**Function:**

- Back-rest tilting is 0~80°.
- Height adjustment is 420~700mm.

**Standard Accessory:**

5" casters, mattress, two motors system.

## MBM-0XE 担架车 / Patient Trolley



\* L1950 x W570 x H650mm

- 不锈钢。
- 标配5"脚轮，20mm皮革垫，不锈钢护栏。

**Material:**

Stainless steel.

**Standard Accessory:**

5" casters, 20mm leather cover mattress, stainless steel side rails.



## MBM-0XX 诊查床 / Examination Bed



\* L1920 x W600 x H710mm

- 不锈钢。
- 标配40mm皮革垫。

**Material:**

Stainless steel.

**Standard Accessory:**

40mm leather cover mattress.

## MBM-0XX-B 诊查床 / Examination Bed



\* L1900 x W600 x H700mm

- 背部有级折起15°、28°、36°、42°。
- 不锈钢。
- 标配30MM皮革垫。

**Function:**

- Back-rest tilting 15°, 28°, 36°, 42°.

**Material:**

Stainless steel.

**Standard Accessory:**

30mm leather cover mattress.



## TS-1 急诊床 / Stretcher



\* L1930 x W640 x H570 ~ 860mm

- 背部上升60°，整床水平升降570~860mm。
- 标配PE塑料护栏，中控刹车系统，输液架，床垫，中央导向轮。
- 适用于病人运送及病人平滑安全过床、抢救和护理等。采用中控刹车系统，设有定向、万向运输，使医护人员推动方便、轻松省力。

### Function:

- Back-rest tilting is 0~60°.
- Height adjustment is 570~860mm.

### Standard Accessory:

PE plastic side rails, central locking caster system, IV pole, directional caster, mattress.

### Application:

Used for the patient transferred, rescued and nursed. Matched with central locking casters system and directional caster, which help users to control the stretcher easier.





## ML-5 移位机 Electric Patient Lift



### \* L1080XW610XH1280

- 高度升降范围750~1700mm。
- 底盘脚宽度调整范围510~725mm，可通过脚踏调整底盘脚宽度，打开底盘脚可插入轮椅和病床配套使用。
- 用于解决危重症病人、急诊手术病人、特殊病人及长期卧床病人的移动、称重。
- 手旋式升降及电动式升降控制功能，在断电及后备电源耗尽电量的情况下可使用手旋式升降功能进行升降。
- 急停功能及后备电源。
- 四个360度转向轮，2后轮带脚刹，带刹车功能。
- 多个层次的不同颜色吊带方便使用者调整吊袋长度。

#### Application:

Used for transferring and weighing the critically ill patients, emergency surgery patients, special patients and bedridden patients.

#### Function:

- Height adjustment: 750~1700mm.
- The adjustable width between legs: 510~725mm, which can be adjusted by foot pedal. The legs can be opened to insert a wheelchair or a hospital bed.
- Electric & manual control for the height adjustment.
- Emergency stop function and backup battery.
- 4 pcs of swivel casters, 2 pcs with brake.
- The straps in different colors enable the users to adjust the sling length easily.

## ML-9 肥胖型移位机 Bariatric Patient Lift



### \* L1430XW830XH1330mm

- 用于解决危重症病人、急诊手术病人、特殊病人及长期卧床病人的移动、称重。
- 高度升降范围810~1890mm。
- 底盘脚宽度调整范围730~1140mm，可通过电机调整底盘脚宽度，打开底盘脚可插入轮椅和病床配套使用。
- 最大负载可达到600磅，可满足护理环境中移动超重患者的需求。
- 手旋式升降及电动式升降控制功能，在断电及后备电源耗尽电量的情况下可使用手旋式升降功能进行升降。
- 急停功能及后备电源。
- 双电机设计。
- 四个360度转向轮，2个3" 活动脚轮(前)，2个4" 刹制脚轮(后)。
- 多个层次的不同颜色吊带方便使用者调整吊袋长度。

#### Application:

Used for transferring and weighing the critically ill patients, emergency surgery patients, special patients and bedridden patients.

#### Function:

- Height adjustment: 810~1890mm.
- The adjustable width between legs: 730~1140mm, which can be adjusted by actuator. The legs can be opened to insert a wheelchair or a hospital bed.
- Specially made for lifting, moving and transferring heavy weighted patients with a maximum working load up to 600lbs.
- Electric and manual control for the height adjustment.
- Emergency stop function and backup battery.
- Dual actuator.
- 4 pcs of swivel casters, 2 pcs with brake.
- The straps in different colors enable the users to adjust the sling length easily.



## ML-10 站立式移位机 Stand-Up Patient Lift



### \* L1040XW680XH1130mm

- 专门设计用于在从坐姿到站立位置的转移过程中固定患者，从而为患者和护理人员提供更快，更轻松，更安全的患者起升和转移。
- 高度升降范围965~1650mm。
- 底盘脚宽度调整范围560~830mm，可通过电机调整底盘脚宽度，打开底盘脚可插入轮椅和病床配套使用。
- 双电机设计，电动控制升降及底盘脚的开合功能，急停功能及后备电源。
- 最大负载可达到450磅。
- 四个360度转向轮，2个3" 活动脚轮(前)，2个4" 刹制脚轮(后)。
- 多个层次的不同颜色吊带方便使用者调整吊袋长度。

#### Application:

Specifically designed to secure patients during transfers from a seated position to a standing position, enabling quicker, easier, and safer patient lifting and transfer for both the patient and the caregiver.

#### Function:

- Height adjustment: 965~1650mm.
- The adjustable width between legs: 560~830mm, which can be adjusted by actuator. The legs can be opened to insert a wheelchair or a hospital bed.
- Dual motors control height adjustment and opening and closing of the legs, emergency stop function and backup battery.
- Maximum Working load up to 450lbs.
- 4 pcs of swivel casters, 2 pcs with brake.
- The straps in different colors enable the users to adjust the sling length easily.

## ML-11 手动液压式移位机 Hydraulic Patient Lift



### \* L1280XW670XH1320mm

- 用于解决危重症病人、急症手术病人、特殊病人及长期卧床病人的移动、称重。
- 高度升降范围430~1570mm。
- 底盘脚宽度调整范围560~970mm，打开底盘脚可插入轮椅和病床配套使用。
- 无需电源，手动液压推杆控制升降，操作轻松简便。
- 最大负载可达到450磅。
- 四个360度转向轮，2个3" 活动脚轮(前)，2个4" 刹制脚轮(后)。
- 多个层次的不同颜色吊带方便使用者调整吊袋长度。

#### Application:

Used for transferring and weighing the critically ill patients, emergency surgery patients, special patients and bedridden patients.

#### Function:

- Height adjustment: 430~1570mm.
- The adjustable width between legs: 560~970mm. The legs can be opened to insert a wheelchair or a hospital bed.
- No need for power supply, easy operation for raising and lowering the patient lift by hydraulic lever.
- Maximum working load up to 450lbs.
- 4 pcs of swivel casters, 2 pcs with brake.
- The straps in different colors enable the users to adjust the sling length easily.

## ML-12 移位机 Electric Patient Lift

\* L930XW600XH1200mm



- 升降高度950-1250mm
- 坐位离地高度400-650mm
- 坐位宽度500mm
- 通行宽度最小600mm
- 最大负载150KG
- 双电机系统，带有后备电池，无线遥控控制升降。
- 坐框架能180° 开合，并根据使用场景调节适合高度，免抱扶轻松移动患者，彻底解决了从轮椅到床、沙发、坐便器、坐椅等之间的移位困难问题，方便出行。
- 2只4" 刹制脚轮，2只3" 活动脚轮。
- PU坐垫柔软舒适且易于清洁冲洗。
- 高密度海绵管套扶手柔软舒适。
- 可选配便桶。

### Application:

Move the patient easily from wheelchair to bed, sofa, commode, chair, etc., and is convenient for travel.

### Function:

- Height adjustment: 950-1200mm
- Seat height from the ground: 400-650mm
- Seat width: 500mm
- Maximum working load: 150KG
- Dual actuator system, with backup battery, wireless remote control height adjustment.
- The sitting frame can be opened and closed within 180°, and the suitable height can be adjusted according to the usage scene,
- 2 pcs of 4" casters with brake, 2 pcs of 3" swivel casters.
- PU cushion is soft, comfortable and cleaned easily.
- Soft and comfortable high-density sponge cover for armrest.
- Commode is optional.

## ML-13 移位机 Electric Patient Lift

\* L930XW600XH1200



- 升降高度950-1250mm
- 坐位离地高度400-650mm
- 坐位宽度500mm
- 通行宽度最小600mm
- 最大负载150KG
- 单电机系统，带有后备电池，内嵌式手控器控制升降。
- 坐框架能180° 开合，并根据使用场景调节适合高度，免抱扶轻松移动患者，彻底解决了从轮椅到床、沙发、坐便器、坐椅等之间的移位困难问题，方便出行。
- 2只4" 刹制脚轮，2只3" 活动脚轮。
- PU坐垫柔软舒适且易于清洁冲洗。
- 高密度海绵管套扶手柔软舒适。
- 可选配便桶。

### Application:

Move the patient easily from wheelchair to bed, sofa, commode, chair, etc., and is convenient for travel.

### Function:

- Height adjustment: 950-1200mm
- Seat height from the ground: 400-650mm
- Seat width: 500mm
- Minimum total width: 600mm
- Maximum working load: 150KG
- Single actuator system, with backup battery, build-in hand control for height adjustment.
- The sitting frame can be opened and closed within 180°, and the suitable height can be adjusted according to the usage scene
- 2 pcs of 4" casters with brake, 2 pcs of 3" swivel casters.
- PU cushion is soft, comfortable and cleaned easily.
- Soft and comfortable high-density sponge cover for armrest.
- Commode is optional.



### MC-2 输液椅 / Infusion Chair



\* L700 x W690 x H1030mm

- 碳钢喷涂椅体，座垫高密度海绵，环保皮构成。
- 标配有木扶手。

**Material:**

Epoxy coating steel frame, leather cover high density sponge.

**Standard Accessory:**

Wooden arms.

### MC-3 陪护椅 / Accompany Chair



\* L710 x W600 x H900mm

Extension (展开): L1900 x W600mm

- 碳钢喷涂椅体，座垫高密度海绵，环保皮构成。

**Material:**

Epoxy coating steel frame, leather cover sponge.

### MC-15 陪护椅 / Accompany Chair



\* L710 x W630 x H900mm

Extension (展开): L1900 x W630mm

- 碳钢喷涂椅体，座垫高密度海绵，环保皮构成。
- 标配配有木扶手、脚轮、布拉手。

**Material:**

Epoxy coating steel frame, leather cover sponge.

**Standard Accessory:**

Wooden arms, casters, cloth handle.



C-1 床头柜 Cabinet



\* L480 x W480 x H880mm

- ABS。
- 标配2"脚轮，水壶座。

**Material:**

ABS.

**Standard Accessory:**

2" casters, jug holder.

C-2 床头柜 Cabinet



\* L480 x W480 x H880mm

- ABS。
- 标配2"脚轮。

**Material:**

ABS.

**Standard Accessory:**

2" casters.

C-3 床头柜 Cabinet



\* L480 x W480 x H800mm

- ABS。
- 标配2"脚轮，鞋柜。

**Material:**

ABS.

**Standard Accessory:**

2" casters, shoe rack.

C-4 床头柜 Cabinet



\* L440 x W460 x H780mm

- ABS面板，碳钢柜体。
- 标配2"脚轮。

**Material:**

ABS, carbon steel frame.

**Standard Accessory:**

2" casters.



### MT-1 移动餐桌 Over Bed Table



\* L800 x W390 x H770~1020mm

- 木面板，喷涂钢架。
- 无级气动助力升降。

**Material:**

Wooden panel, epoxy coating steel frame.

**Function:**

Gas spring lift.

### MT-2 移动餐桌 Over Bed Table



\* L800 x W390 x H770~1020mm

- 木面板，喷涂钢架。
- 无级气动助力升降。

**Material:**

Wooden panel, epoxy coating steel frame.

**Function:**

Gas spring lift.

### MT-3 移动餐桌 Over Bed Table



\* L800 x W390 x H770~1020mm

- 木面板，喷涂钢架。
- 无级气动助力升降，面板可倾斜。

**Material:**

Wooden panel, epoxy coating steel frame.

**Function:**

Gas spring lift, the wooden panel could be tilted.

### MT-4 移动餐桌 Over Bed Table



\* L800 x W390 x H820~1200mm

- 木面板，喷涂钢架。
- 无级弹簧助力升降。

**Material:**

Wooden panel, epoxy coating steel frame.

**Function:**

Spring lift.

### MT-20 移动餐桌 Over Bed Table



\* L800 x W390 x H770~1020mm

- 木面板，喷涂钢架。
- 无级气动助力升降。

**Material:**

Wooden panel, epoxy coating steel frame.

**Function:**

Gas spring lift.

### MT-21 移动餐桌 Over Bed Table



\* L800 x W390 x H710~1070mm

- 木面板，喷涂钢架。
- 机械助力升降。

**Material:**

Wooden panel, epoxy coating steel frame.

**Function:**

Ratchet lift.

## MT-8 移动餐桌 Deluxe Plastic Over Bed Table



\* L900×W450×H650~900mm

- 塑料面板，喷涂钢底架。
- 无级气动助力升降

**Material:**

Plastic top plate, epoxy coating steel base.

**Function:**

Gas spring lift.

## MT-33 移动餐桌 Over Bed Table



\* L800 x W390 x H810~1050mm

- 木面板，喷涂钢架。
- 无级气动助力升降，面板可倾斜。

**Material:**

Wooden panel, epoxy coating steel frame.

**Function:**

Gas spring lift, the wooden panel could be tilted.

## MT-6 餐板 Over Bed Table



\* L880 x W320mm

- ABS。
- 可伸缩长度。

**Material:**


ABS.

**Function:**

Retractable.



### MS-1 输液架 IV Stand



\* L1300 ~ 2200mm

- 主体不锈钢管，塑料支架座。
- 标配带脚轮。


**Material:**

Stainless steel, plastic base.

**Standard Accessory:**

Casters.

### MS-2 输液架 IV Stand



\* L1300 ~ 2200mm

- 主体不锈钢管，铝合金支架座。
- 标配带脚轮。

**Material:**

Stainless steel, aluminum base.

**Standard Accessory:**

Casters.

### LP-1 拉升杆 Lifting Pole



\* W600×H1410mm

- 主体不锈钢管，塑料拉手。

**Material:**

Stainless steel for pole, plastic handle & nylon strap.

### ML-4 拉升杆 Lifting Pole



\* L1350×W1060×H1740mm

- 碳钢喷涂结构。
- 拉手环有9级位置可调，拉手环带长度可自由调节。
- 可拆卸便于运输，可与病床或轮椅配套使用。

**Material:**

Steel tubes for arm & base with powder paint finished, plastic handle & strap.

**Standard Accessory:**


With 2 Pcs of 1.5" Casters.

**Function:**

- The plastic handle is adjustable. Detachable for shipping.




### MBR-1 欧式护栏 European Side Rails



### MBR-2 铝合金护栏 Aluminum Alloy Side Rails



### M-1 床垫 Mattress



\* L1980 x W830 x H80mm

- 防水耐磨布，内芯高密度海绵。
- 内芯可选椰棕，高密度海绵等材料。


**Material:**

Waterproof and wearable cloth cover, high density sponge.

**Optional:**

Palm or high density sponge can be selected.

### M-2 床垫 Mattress



\* L1980 x W830 x H80mm

- 环保皮，内芯高密度海绵。
- 内芯可选椰棕，高密度海绵等材料。

**Material:**

Leather cover, high density sponge.

**Optional:**

Palm or high density sponge can be selected.

**车间** Workshop



五金加工、冲压车间  
**Metal Parts Processing & Stamping Workshop**




焊接车间  
**Welding Workshop**



装配包装车间  
**Assembling & Packaging Workshop**



## 测试室 Testing Room





**江门嘉美医疗器械制品有限公司**  
**Jiangmen Jia Mei Medical Products Co.,Ltd.**

地址：中国广东鹤山雅瑶直水工业开发区  
电话：0750-8774502  
传真：0750-8774466

Add: Zhi Shui Industry Development Area, YaYao, HeShan GuangDong China  
Tel: 0086-750-8774502  
Fax: 0086-750-8774466



[www.jiameimedical-jm.com](http://www.jiameimedical-jm.com)  
[www.dawangmedical.com](http://www.dawangmedical.com)